

# Inhoudsopgave

Astm Reducers	2
Conc.Reducer, Astm A234 Grade WPB, S40	2
Conc.Reducer, Astm A234 Grade WPB, S80	4
Conc.Reducer, Astm A234 Grade WPB, XS	6
Exc.Reducer, Astm A234 Grade WPB, S40	7
Exc.Reducer, Astm A234 Grade WPB, S80	9

# Astm Reducers

## Conc.Reducer, Astm A234 Grade WPB, S40

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 X 3/8"	0,09	33,25
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 x 1/2"	0,09	23,02
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/8"	0,14	*
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 1/2"	0,14	38,03
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/4"	0,17	30,98
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4 x 1/2"	0,19	54,17
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 3/4"	0,20	29,43
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1"	0,20	29,43
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1/2"	0,20	42,17
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 3/4	0,22	33,84
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1	0,24	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2"x 1" - Verzinkt	0,24	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1.1/4	0,26	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1/2"	0,41	*
Conc.Reducer, Astm A234 Grade WPB, S40 2x 3/4"	0,33	45,53
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1	0,37	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/4	0,39	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/2	0,41	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1	0,59	98,38
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/4	0,67	89,44
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/2	0,68	39,76
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 2	0,73	39,76
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/4	0,77	55,99
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/2	0,86	49,81
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2	0,91	42,39
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2.1/2	0,98	42,39
Conc.Reducer, Astm A234 Grade WPB, S40 4x 1.1/2	1,24	150,17
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2	1,44	76,48
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2.1/2	1,52	63,23
Conc.Reducer, Astm A234 Grade WPB, S40 4x 3	1,59	60,23
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2	2,29	194,13
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2.1/2	2,51	164,48
Conc.Reducer, Astm A234 Grade WPB, S40 5x 3	2,60	84,30
Conc.Reducer, Astm A234 Grade WPB, S40 5x 4	2,72	84,30
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2"	0,01	218,59

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2.1/2	3,45	240,50
Conc.Reducer, Astm A234 Grade WPB, S40 6x 3	3,63	138,22
Conc.Reducer, Astm A234 Grade WPB, S40 6x 4	8,72	109,70
Conc.Reducer, Astm A234 Grade WPB, S40 6x 5	8,98	109,70
Conc.Reducer, Astm A234 Grade WPB, S40 8x 3	0,00	338,84
Conc.Reducer, Astm A234 Grade WPB, S40 8x 4	5,95	224,83
Conc.Reducer, Astm A234 Grade WPB, S40 8x 5	6,08	207,37
Conc.Reducer, Astm A234 Grade WPB, S40 8x 6	6,31	183,57
Conc.Reducer, Astm A234 Grade WPB, S40 10x 4	9,58	590,28
Conc.Reducer, Astm A234 Grade WPB, S40 10x 5	9,90	453,18
Conc.Reducer, Astm A234 Grade WPB, S40 10x 6	10,10	304,15
Conc.Reducer, Astm A234 Grade WPB, S40 10x 8	10,50	298,11
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 5" 323.85(x10.31) X 141.30 (x6.55)	13,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 6" 323.85(x10.31) X 168.28(x7.11)	14,10	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 8" 323.85(x10.31) X 219.08(x8.18)	14,60	439,44
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 10" 323.85(x10.31) X 273.05(x9.27)	15,20	569,14
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 6" 355.60(x11.13) X 168.28(x7.11)	25,30	1.312,41
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 8" 355.60(x11.13) X 219.08(x8.18)	26,00	987,32
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 10" 355.60(x11.13) X 273.05(x9.27)	27,40	835,67
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 12" 355.60(x11.13) X 323.85(x10.31)	28,80	791,88
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 8" 406.40(x12.70) X 219.08(x8.18)	31,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 10" 406.40(x12.70) X 273.05(x9.27)	33,10	1.292,26
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 12" 406.40(x12.70) X 323.85(x10.31)	34,30	1.190,17
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 14" 406.40(x12.70) X 355.60(x11.13)	35,20	1.054,67
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 10" 457.20(x14.27) X 273.05(x9.27)	39,40	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 12" 457.20(x14.27) X 323.85(x10.31)	40,50	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 14" 457.20(x14.27) X 355.60(x11.13)	41,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 16" 457.20(x14.27) X 406.40(x12.70)	42,70	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 12" 508.00(x15.06) X 323.85(x10.31)	60,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 14" 508.00(x15.06) X 355.60(x11.13)	61,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 16" 508.00(x15.06) X 406.40(x12.70)	62,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 18" 508.00(x15.06) X 457.20(x14.27)	69,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 16" 609.60(x17.45) X 406.40(x12.70)	72,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 18" 609.60(x17.45) X 457.20(x14.27)	74,00	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 20" 609.60(x17.45) X 508.00(x15.06)	75,80	*

# Astm Reducers

## Conc.Reducer, Astm A234 Grade WPB, S80

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S80 3/4x 3/8	0,11	*
Conc.Reducer, Astm A234 Grade WPB, S80 3/4x 1/2	0,12	39,68
Conc.Reducer, Astm A234 Grade WPB, S80 1x 3/8	0,15	*
Conc.Reducer, Astm A234 Grade WPB, S80 1x 1/2	0,16	39,68
Conc.Reducer, Astm A234 Grade WPB, S80 1x 3/4	0,17	39,68
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1/2	0,22	67,53
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 3/4	0,23	41,02
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1	0,24	41,02
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1/2	0,28	56,90
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 3/4	0,27	51,22
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1	0,31	46,21
Conc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1.1/4	0,33	46,21
Conc.Reducer, Astm A234 Grade WPB, S80 2x 3/4	0,46	58,64
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1 ASTM	0,45	42,78
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/4	0,53	42,78
Conc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/2	0,54	42,78
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1	0,79	153,59
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/4	0,78	141,76
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/2	0,86	62,12
Conc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 2	0,94	57,53
Conc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/4	1,04	83,64
Conc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/2	0,99	63,76
Conc.Reducer, Astm A234 Grade WPB, S80 3x 2	1,18	63,76
Conc.Reducer, Astm A234 Grade WPB, S80 3x 2.1/2	1,29	63,76
Conc.Reducer, Astm A234 Grade WPB, S80 4x 1.1/2	1,73	287,87
Conc.Reducer, Astm A234 Grade WPB, S80 4x 2	1,78	94,86
Conc.Reducer, Astm A234 Grade WPB, S80 4x 2.1/2	2,01	85,02
Conc.Reducer, Astm A234 Grade WPB, S80 4x 3	2,13	85,02
Conc.Reducer, Astm A234 Grade WPB, S80 5x 2	3,00	284,10
Conc.Reducer, Astm A234 Grade WPB, S80 5x 2.1/2	3,30	256,60
Conc.Reducer, Astm A234 Grade WPB, S80 5x 3	3,55	169,87
Conc.Reducer, Astm A234 Grade WPB, S80 5x 4	3,78	134,17
Conc.Reducer, Astm A234 Grade WPB, S80 6x2	0,01	529,99
Conc.Reducer, Astm A234 Grade WPB, S80 6x2.1/2	4,52	497,66
Conc.Reducer, Astm A234 Grade WPB, S80 6x 3	5,04	183,01

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S80 6x 4	5,45	161,93
Conc.Reducer, Astm A234 Grade WPB, S80 6x 5	5,72	161,93
Conc.Reducer, Astm A234 Grade WPB, S80 8x 3	0,00	346,92
Conc.Reducer, Astm A234 Grade WPB, S80 8x 4	8,44	332,88
Conc.Reducer, Astm A234 Grade WPB, S80 8x 5	8,85	380,11
Conc.Reducer, Astm A234 Grade WPB, S80 8x 6	9,26	311,87
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05 (x 15.06) x 114.30 (x 8.56)	11,50	982,03
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53)	13,00	763,76
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97)	13,50	445,61
Conc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70)	14,20	418,67
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85x(17.45) X 141.30(x9.53)	17,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97)	18,40	868,12
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70)	17,00	649,38
Conc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06)	19,80	630,67
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97)	33,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70)	34,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06)	36,10	*
Conc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45)	37,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70)	42,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	43,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	45,00	*
Conc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05)	46,30	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	51,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45)	53,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05)	54,50	*
Conc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41)	55,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45)	79,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05)	81,30	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41)	82,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80)	91,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05)	88,50	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41)	89,90	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 457.20(x23.80)	91,70	*
Conc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19)	94,00	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 16" 609.60(x30.94) X 406.40(x21.41)	95,80	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 18" 609.60(x30.94) X 457.20(x23.80)	97,60	*
Conc.Reducer, Astm A234 Grade WPB, S80 24 X 20" 609.60(x30.94) X 508.00(x26.19)	99,90	*

# Astm Reducers

## Conc.Reducer, Astm A234 Grade WPB, XS

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, XS 10" x 8" - 273,05(x12,7) X 219,07(x12,7)	0,00	*
Conc.Reducer, Astm A234 Grade WPB, XS 14" x 12" - 355,60 (x12,70) X 323,85 (x 12,70)	37,70	*
Conc.Reducer, Astm A234 Grade WPB, XS 16" x 14" - 406,4(x12,7) X 355,6(x12,7)	0,00	*

# Astm Reducers

## Exc.Reducer, Astm A234 Grade WPB, S40

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S40 3/4x 3/8	0,09	*
Exc.Reducer, Astm A234 Grade WPB, S40 3/4x 1/2	0,09	53,43
Exc.Reducer, Astm A234 Grade WPB, S40 1x 3/8	0,14	*
Exc.Reducer, Astm A234 Grade WPB, S40 1x 1/2	0,14	53,43
Exc.Reducer, Astm A234 Grade WPB, S40 1x 3/4	0,17	53,43
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1/2	0,19	57,65
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 3/4	0,20	48,30
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1	0,20	53,90
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1/2	0,20	67,25
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 3/4	0,22	54,33
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1	0,24	46,76
Exc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1.1/4	0,26	46,76
Exc.Reducer, Astm A234 Grade WPB, S40 2x 3/4	0,33	112,70
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1	0,37	59,02
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/4	0,39	59,02
Exc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/2	0,41	59,02
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1	0,59	100,59
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/4	0,67	84,48
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/2	0,68	60,51
Exc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 2	0,73	60,51
Exc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/4	0,77	115,55
Exc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/2	0,86	82,10
Exc.Reducer, Astm A234 Grade WPB, S40 3x 2	0,91	63,10
Exc.Reducer, Astm A234 Grade WPB, S40 3x 2.1/2	0,98	63,10
Exc.Reducer, Astm A234 Grade WPB, S40 4x 1.1/2	1,24	185,29
Exc.Reducer, Astm A234 Grade WPB, S40 4x 2	1,44	117,82
Exc.Reducer, Astm A234 Grade WPB, S40 4x 2.1/2	1,52	117,82
Exc.Reducer, Astm A234 Grade WPB, S40 4x 3	1,59	81,62
Exc.Reducer, Astm A234 Grade WPB, S40 5x 2	2,29	196,97
Exc.Reducer, Astm A234 Grade WPB, S40 5x 2.1/2	2,51	176,88
Exc.Reducer, Astm A234 Grade WPB, S40 5x 3	2,60	166,19
Exc.Reducer, Astm A234 Grade WPB, S40 5x 4	2,72	152,27
Exc.Reducer, Astm A234 Grade WPB, S40 6x 2.1/2	3,45	293,26
Exc.Reducer, Astm A234 Grade WPB, S40 6x 3	3,63	176,72
Exc.Reducer, Astm A234 Grade WPB, S40 6x 4	8,72	168,43

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S40 6x 5	8,98	168,43
Exc.Reducer, Astm A234 Grade WPB, S40 8x 3.1/2	5,81	*
Exc.Reducer, Astm A234 Grade WPB, S40 8x 4	5,95	336,00
Exc.Reducer, Astm A234 Grade WPB, S40 8x 5	6,08	283,83
Exc.Reducer, Astm A234 Grade WPB, S40 8x 6	6,31	264,29
Exc.Reducer, Astm A234 Grade WPB, S40 10x 4	9,58	*
Exc.Reducer, Astm A234 Grade WPB, S40 10x 5	9,90	584,43
Exc.Reducer, Astm A234 Grade WPB, S40 10x 6	10,10	393,76
Exc.Reducer, Astm A234 Grade WPB, S40 10x 8	10,50	331,52
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 5" 323.85(x10.31) X 141.30(x6.55)	13,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 6" 323.85(x10.31) X 168.28(x7.11)	14,10	721,99
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 8" 323.85(x10.31) X 219.08(x8.18)	14,60	545,36
Exc.Reducer, Astm A234 Grade WPB, S40 12 X 10" 323.85(x10.31) X 273.05(x9.27)	15,20	527,15
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 6" 355.60(x11.13) X 168.28(x7.11)	25,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 8" 355.60(x11.13) X 168.28(x7.11)	26,00	1.238,98
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 10" 355.60(x11.13) X 168.28(x7.11)	27,40	*
Exc.Reducer, Astm A234 Grade WPB, S40 14 X 12" 355.60(x11.13) X 168.28(x7.11)	28,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 8" 406.40(x12.70) X 219.08(x8.18)	31,90	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 10" 406.40(x12.70) X 273.05(x9.27)	33,10	1.621,27
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 12" 406.40(x12.70) X 323.85(x10.31)	34,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 16 X 14" 406.40(x12.70) X 355.60(x11.13)	35,20	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 10" 457.20(x14.27) X 273.05(x9.27)	39,40	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 12" 457.20(x14.27) X 323.85(x10.31)	40,50	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 14" 457.20(x14.27) X 355.60(x11.13)	41,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 18 X 16" 457.20(x14.27) X 406.40(x12.70)	42,70	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 12" 508.00(x15.06) X 323.85(x10.31)	60,80	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 14" 508.00(x15.06) X 355.60(x11.13)	61,30	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 16" 508.00(x15.06) X 406.40(x12.70)	62,60	*
Exc.Reducer, Astm A234 Grade WPB, S40 20 X 18" 508.00(x15.06) X 457.20(x14.27)	64,50	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 16" 609.60(x17.45) X 406.40(x12.70)	72,60	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 18" 609.60(x17.45) X 457.20(x14.27)	74,00	*
Exc.Reducer, Astm A234 Grade WPB, S40 24 X 20" 609.60(x17.45) X 508.00(x15.06)	75,80	*



# Astm Reducers

## Exc.Reducer, Astm A234 Grade WPB, S80

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 3/8	0,11	*
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 1/2	0,12	97,09
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/8	0,15	*
Exc.Reducer, Astm A234 Grade WPB, S80 1x 1/2	0,16	90,22
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/4	0,17	90,22
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1/2	0,22	100,69
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 3/4	0,23	92,47
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1	0,24	92,47
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1/2	0,28	105,11
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 3/4	0,23	96,05
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1	0,31	73,77
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1.1/4	0,33	73,77
Exc.Reducer, Astm A234 Grade WPB, S80 2x 3/4	0,46	113,63
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1	0,45	79,89
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/4	0,53	86,05
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/2	0,54	79,89
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1	0,79	146,33
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/4	0,78	128,52
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/2	0,86	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 2	0,94	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/4	1,04	124,23
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/2	0,99	118,93
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2	1,18	93,56
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2.1/2	1,29	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/4	1,49	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/2	1,43	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2	1,61	208,59
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2.1/2	1,75	182,40
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 3	1,85	176,44
Exc.Reducer, Astm A234 Grade WPB, S80 4x 1.1/2	1,73	255,07
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2	1,78	153,70
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2.1/2	2,01	165,91
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3	2,13	110,41
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3.1/2	2,21	*
Exc.Reducer, Astm A234 Grade WPB, S80 5x 2	3,00	455,24

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 5x 2.1/2	3,30	421,02
Exc.Reducer, Astm A234 Grade WPB, S80 5x 3	3,55	353,89
Exc.Reducer, Astm A234 Grade WPB, S80 5x 4	3,78	317,12
Exc.Reducer, Astm A234 Grade WPB, S80 6x 2.1/2	4,52	*
Exc.Reducer, Astm A234 Grade WPB, S80 6x 3	5,04	328,34
Exc.Reducer, Astm A234 Grade WPB, S80 6x 4	5,45	246,40
Exc.Reducer, Astm A234 Grade WPB, S80 6x 5	5,72	262,80
Exc.Reducer, Astm A234 Grade WPB, S80 8x 4	8,44	592,25
Exc.Reducer, Astm A234 Grade WPB, S80 8x 5	8,85	592,25
Exc.Reducer, Astm A234 Grade WPB, S80 8x 6	9,26	444,30
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56)	11,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53)	13,00	1.055,91
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97)	13,50	759,00
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70)	14,20	686,25
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53)	17,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97)	18,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70)	17,00	809,14
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06)	19,80	750,69
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97)	33,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70)	34,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06)	36,10	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45)	37,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70)	42,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	43,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	45,00	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05)	46,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	51,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45)	53,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05)	54,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41)	55,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45)	79,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05)	81,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41)	82,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80)	84,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05)	88,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41)	89,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41)	91,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19)	94,00	*

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 16" 609.60(x30.94) X 406.40(x21.41)	95,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 18" 609.60(x30.94) X 457.20(x23.80)	97,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 20" 609.60(x30.94) X 508.00(x26.19)	99,90	*