Inhoudsopgave

Exc.Reducer, Astm A234 Grade WPB, S80

2

Astm Reducers

Exc.Reducer, Astm A234 Grade WPB, S80	Geldig vanaf 26-7-2023	
Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 3/8	0,11	*
Exc.Reducer, Astm A234 Grade WPB, S80 3/4x 1/2	0,12	97,09
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/8	0,15	*
Exc.Reducer, Astm A234 Grade WPB, S80 1x 1/2	0,16	90,22
Exc.Reducer, Astm A234 Grade WPB, S80 1x 3/4	0,17	90,22
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1/2	0,22	100,69
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 3/4	0,23	92,47
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/4x 1	0,24	92,47
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1/2	0,28	105,11
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 3/4	0,23	96,05
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1	0,31	73,77
Exc.Reducer, Astm A234 Grade WPB, S80 1.1/2x 1.1/4	0,33	73,77
Exc.Reducer, Astm A234 Grade WPB, S80 2x 3/4	0,46	113,63
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1	0,45	79,89
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/4	0,53	86,05
Exc.Reducer, Astm A234 Grade WPB, S80 2x 1.1/2	0,54	79,89
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1	0,79	146,33
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/4	0,78	128,52
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 1.1/2	0,86	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 2.1/2x 2	0,94	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/4	1,04	124,23
Exc.Reducer, Astm A234 Grade WPB, S80 3x 1.1/2	0,99	118,93
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2	1,18	93,56
Exc.Reducer, Astm A234 Grade WPB, S80 3x 2.1/2	1,29	101,05
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/4	1,49	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 1.1/2	1,43	*
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2	1,61	208,59
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 2.1/2	1,75	182,40
Exc.Reducer, Astm A234 Grade WPB, S80 3.1/2x 3	1,85	176,44
Exc.Reducer, Astm A234 Grade WPB, S80 4x 1.1/2	1,73	255,07
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2	1,78	153,70
Exc.Reducer, Astm A234 Grade WPB, S80 4x 2.1/2	2,01	165,91
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3	2,13	110,41
Exc.Reducer, Astm A234 Grade WPB, S80 4x 3.1/2	2,21	*
Exc.Reducer, Astm A234 Grade WPB, S80 5x 2	3,00	455,24

Exc. Reducer, Astm A234 Grade WPB, 880 5x 2.1/2 Exc. Reducer, Astm A234 Grade WPB, 880 5x 3 Exc. Reducer, Astm A234 Grade WPB, 880 6x 3 Exc. Reducer, Astm A234 Grade WPB, 880 6x 2.1/2 Exc. Reducer, Astm A234 Grade WPB, 880 6x 2.1/2 Exc. Reducer, Astm A234 Grade WPB, 880 6x 3 Exc. Reducer, Astm A234 Grade WPB, 880 6x 4 Exc. Reducer, Astm A234 Grade WPB, 880 6x 5 Exc. Reducer, Astm A234 Grade WPB, 880 6x 5 Exc. Reducer, Astm A234 Grade WPB, 880 6x 5 Exc. Reducer, Astm A234 Grade WPB, 880 6x 5 Exc. Reducer, Astm A234 Grade WPB, 880 6x 5 Exc. Reducer, Astm A234 Grade WPB, 880 6x 6 Exc. Reducer, Astm A234 Grade WPB, 880 6x 6 Exc. Reducer, Astm A234 Grade WPB, 880 10 X 4° 273.05(x15.08) X 114.30(x8.56) 11,50 Exc. Reducer, Astm A234 Grade WPB, 880 10 X 6° 273.05(x15.08) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, 880 10 X 6° 273.05(x15.08) X 168.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 10 X 8° 273.05(x15.08) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 10 X 8° 273.05(x15.08) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 10 X 8° 273.05(x15.08) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 169.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, 880 12 X 5° 323.85(x17.45) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, 880 16 X 10° 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, 880 16 X 10° 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, 88	Artikel	KG per Stuks	Bruto prijs per ST
Exc. Reducer, Astm A234 Grade WPB, S80 6x 2 Exc. Reducer, Astm A234 Grade WPB, S80 6x 3 Exc. Reducer, Astm A234 Grade WPB, S80 6x 3 Exc. Reducer, Astm A234 Grade WPB, S80 6x 3 Exc. Reducer, Astm A234 Grade WPB, S80 6x 4 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 4* 273.05(x15.06) x 114.30(x8.56) 11.50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6* 273.05(x15.06) x 141.30(x9.53) 13.00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6* 273.05(x15.06) x 129.08(x12.70) 14.20 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 8* 273.05(x15.06) x 129.08(x12.70) 14.20 Exc. Reducer, Astm A234 Grade WPB, S80 12 x 5* 323.85(x17.45) x 180.0(x5.25) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 5* 323.85(x17.45) x 180.0(x5.25) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6* 323.85(x17.45) x 219.08(x12.70) 17.00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 x 8* 323.85(x17.45) x 219.08(x12.70) 17.00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 14 x 6* 355.60(x19.05) x 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10* 335.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 x 10* 406.40(x21.41) x 23	Exc.Reducer, Astm A234 Grade WPB, S80 5x 2.1/2	3,30	421,02
Exc. Reducer, Astm A234 Grade WPB, S80 6x 2, 1/2 Exc. Reducer, Astm A234 Grade WPB, S80 6x 3 Exc. Reducer, Astm A234 Grade WPB, S80 6x 4 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 4" 273,05(x15,06) x 114,30(x8,56) 11,50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6" 273,05(x15,06) x 141,30(x8,56) 11,50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6" 273,05(x15,06) x 141,30(x9,53) 13,00 1,055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6" 273,05(x15,06) x 113,00(x9,53) Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6" 273,05(x15,06) x 119,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 182,82(x10,97) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 182,82(x10,97) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 273,05(x15,06) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 273,05(x15,06) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 182,82(x10,97) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6" 323,85(x17,45) x 273,05(x15,06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 6" 355,60(x19,05) x 219,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10" 335,60(x19,05) x 219,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10" 335,60(x19,05) x 273,05(x15,06) Exc. Reducer, Astm A234 Grade WPB, S80 16 x 10" 406,40(x21,41) x 219,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 16 x 10" 406,40(x21,41) x 219,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 16 x 10" 406,40(x21,41) x 219,08(x12,70) Exc. Reducer, Astm A234 Grade WPB, S80 18 x 10" 457,20(x23,80) x	Exc.Reducer, Astm A234 Grade WPB, S80 5x 3	3,55	353,89
Exc. Reducer, Astm A234 Grade WPB, S80 6x 3 Exc. Reducer, Astm A234 Grade WPB, S80 6x 4 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 4° 273.05(x15.06) x 114.30(x8.56) 11.50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 5° 273.05(x15.06) x 114.30(x8.56) 11.50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 5° 273.05(x15.06) x 141.30(x8.56) 11.50 Exc. Reducer, Astm A234 Grade WPB, S80 10 x 5° 273.05(x15.06) x 188.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 10 x 6° 273.05(x15.06) x 189.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 10 x 8° 273.05(x15.06) x 119.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 10 x 8° 273.05(x15.06) x 119.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 5° 323.85(x17.45) x 141.30(x8.53) 17.70 Exc. Reducer, Astm A234 Grade WPB, S80 12 x 6° 323.85(x17.45) x 168.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 10° 323.85(x17.45) x 129.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 10° 323.85(x17.45) x 129.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 x 10° 323.85(x17.45) x 129.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 8° 355.60(x19.05) x 129.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 10° 355.60(x19.05) x 129.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 x 12° 355.60(x19.05) x 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 18 x 10° 457.20(x23.80) x 323.85(x17.45) Exc. Reducer, As	Exc.Reducer, Astm A234 Grade WPB, S80 5x 4	3,78	317,12
Exc. Reducer, Astm A234 Grade WPB, S80 6x 4 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 6x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4* 273.05(x15.06) X 114.30(x8.56) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5* 273.05(x15.06) X 141.30(x8.56) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5* 273.05(x15.06) X 141.30(x8.56) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6* 273.05(x15.06) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6* 273.05(x15.06) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6* 273.05(x15.06) X 148.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6* 273.05(x15.06) X 149.28(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5* 323.85(x17.45) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5* 323.85(x17.45) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6* 323.85(x17.45) X 149.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6* 323.85(x17.45) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10* 323.85(x17.45) X 279.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6* 355.60(x19.05) X 180.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6* 355.60(x19.05) X 180.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10* 355.60(x19.05) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10* 355.60(x19.05) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10* 355.60(x19.05) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10* 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10* 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10* 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10* 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10* 406.40(x21.41) X 219.08(x12.70) Exc. Reducer,	Exc.Reducer, Astm A234 Grade WPB, S80 6x 2.1/2	4,52	*
Exc. Reducer, Astm A234 Grade WPB, S80 to X 5 5,72 262.80 Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 8,44 592.25 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 8,85 592.25 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11,50 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11,50 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x8.53) 13,00 1.055,91 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x8.53) 13,00 1.055,91 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97) 13,50 759,00 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 199.08(x12.70) 14.20 686.25 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 199.08(x12.70) 17,00 809,14 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 325.86(x17.45) X 219.08(x12.70) 17,00 809,14 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 219.08(x12.70) 34.90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 233.85(x17.45) 54.50 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23	Exc.Reducer, Astm A234 Grade WPB, S80 6x 3	5,04	328,34
Exc. Reducer, Astm A234 Grade WPB, S80 8x 4 Exc. Reducer, Astm A234 Grade WPB, S80 8x 5 Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x8.56) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 148.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 148.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 158.28(x10.97) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 159.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.80(x19.05) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.80(x19.05) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 323.85(x17.45) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 325.50(x19.05) Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 32	Exc.Reducer, Astm A234 Grade WPB, S80 6x 4	5,45	246,40
Exc. Reducer, Astm A234 Grade WPB, S80 8x 6 9,2.6 444,30 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11.50 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11.50 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53) 13.00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 141.30(x9.53) 13.00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14.20 686,25 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97) 18.40 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 323.85(x17.45) X 219.08(x12.70) 34.90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34.90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34.90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 37,90 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 37,90 * Exc. Reducer, Astm	Exc.Reducer, Astm A234 Grade WPB, S80 6x 5	5,72	262,80
Exc Reducer, Astm A234 Grade WPB, S80 8x 6 9,26 444,30 Exc Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11,50 * Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53) 13,00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 141.30(x9.53) 13,00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 168.28(x10.97) 13,50 759,00 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14,20 686,25 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97) 18,40 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 219.08(x12.70) 33,70 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 365.60(x19.05	Exc.Reducer, Astm A234 Grade WPB, S80 8x 4	8,44	592,25
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56) 11,50 Exc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53) 13,00 1.055,91 Exc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97) 13,50 759,00 Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14,20 686,25 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,70 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750,69 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 219.08(x12.70) 33,70 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 273.05(x15.06) 36,10 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42,60 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 36,10 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 273.05(x15.06) 51,80 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 253.65(x17.45) 53,60 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 355.60(x19.05) 54,50 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19	Exc.Reducer, Astm A234 Grade WPB, S80 8x 5	8,85	592,25
Exc. Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53) 13,00 1.055,91 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 146.82(x10.97) 13,50 759,00 Exc. Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14,20 686,25 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,70 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 279.08(x12.70) 34,90 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 279.08(x12.70) 34,90 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 279.08(x12.70) 42,60 Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 279.08(x12.70) 42,60 Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 279.08(x12.70) 42,60 Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 279.08(x12.70) 42,60 Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 279.08(x12.70) 42,60 Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 Exc. Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 273.05(x15.06) 51,80 Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 53,60 Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 59,00 Exc. Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.	Exc.Reducer, Astm A234 Grade WPB, S80 8x 6	9,26	444,30
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97) 13,50 759,00 Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14,20 686.25 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750.69 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 373.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 323.85(x17.45) 59,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 323.85(x17.45) 59,90 * Exc.Reducer, Astm A234 Grade WP	Exc.Reducer, Astm A234 Grade WPB, S80 10 X 4" 273.05(x15.06) X 114.30(x8.56)	11,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70) 14,20 686.25 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53) 17,70 * Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,70 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750,89 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Re	Exc.Reducer, Astm A234 Grade WPB, S80 10 X 5" 273.05(x15.06) X 141.30(x9.53)	13,00	1.055,91
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 141.30(x9.53) 17,70 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97) 18,40 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750,69 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 33,70 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45) 37,70 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46,30 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 323.85(x17.45) 53,60 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 323.85(x17.45) 53,60 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 323.85(x17.45) 59,90 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 323.85(x17.45) 59,90 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 54,50 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 54,50 Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 55,80 Exc.Reducer, A	Exc.Reducer, Astm A234 Grade WPB, S80 10 X 6" 273.05(x15.06) X 168.28(x10.97)	13,50	759,00
Exc. Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97) 18,40 * Exc. Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17,00 809,14 Exc. Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750,69 Exc. Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc. Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 233.85(x17.45) 37,70 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42.60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42.60 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc. Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46,30 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc. Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc. Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc. Reducer, Astm A234 Grade WPB, S80 22 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc. Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc. Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 84,	Exc.Reducer, Astm A234 Grade WPB, S80 10 X 8" 273.05(x15.06) X 219.08(x12.70)	14,20	686,25
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70) 17.00 809.14 Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19.80 750.69 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33.70 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 273.05(x15.06) 34.90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36.10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36.10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 273.05(x15.06) 36.10 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42.60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43.70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43.70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 323.85(x17.45) 45.00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 323.85(x17.45) 45.00 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51.80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51.80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53.60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 325.60(x19.05) 54.50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54.50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79.90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 323.85(x17.45) 79.90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81.30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 355.60(x19.05) 84.40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88.50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 406.40(x21.41) 89.90 * Exc.Reducer, Ast	Exc.Reducer, Astm A234 Grade WPB, S80 12 X 5" 323.85(x17.45) X 141.30(x9.53)	17,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06) 19,80 750,69 Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 233.85(x17.45) 37,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 303.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 12 X 6" 323.85(x17.45) X 168.28(x10.97)	18,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97) 33,70 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70) 34,90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 233.85(x17.45) 37,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46,30 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 325.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 325.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 355.60(x19.05) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 12 X 8" 323.85(x17.45) X 219.08(x12.70)	17,00	809,14
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34.90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 219.08(x12.70) 34.90 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45) 37,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42.60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 323.85(x17.45) 46,30 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 323.85(x17.45) 55,80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 366.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 12 X 10" 323.85(x17.45) X 273.05(x15.06)	19,80	750,69
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06) 36,10 * Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45) 37,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46,30 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 365.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 14 X 6" 355.60(x19.05) X 168.28(x10.97)	33,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 21.35.80(x17.45) 37.70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70) 42.60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43.70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45.00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 323.85(x17.45) 45.00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46.30 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51.80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) 53.60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54.50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41) 55.80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79.90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81.30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82.60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 457.20(x23.80) 84.40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89.90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89.90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89.90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91.70 *	Exc.Reducer, Astm A234 Grade WPB, S80 14 X 8" 355.60(x19.05) X 219.08(x12.70)	34,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 219.08(x12.70) 42,60 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06) 43,70 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45) 45,00 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 323.85(x17.45) 46,30 * Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05) 46,30 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) 51,80 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41) 55,80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 14 X 10" 355.60(x19.05) X 273.05(x15.06)	36,10	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	Exc.Reducer, Astm A234 Grade WPB, S80 14 X 12" 355.60(x19.05) X 323.85(x17.45)	37,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	Exc.Reducer, Astm A234 Grade WPB, S80 16 X 8" 406.40(x21.41) X 219.08(x12.70)	42,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	Exc.Reducer, Astm A234 Grade WPB, S80 16 X 10" 406.40(x21.41) X 273.05(x15.06)	43,70	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06) Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 323.85(x17.45) Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) Fig. C.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 *	Exc.Reducer, Astm A234 Grade WPB, S80 16 X 12" 406.40(x21.41) X 323.85(x17.45)	45,00	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45) 53,60 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41) 55,80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 16 X 14" 406.40(x21.41) X 355.60(x19.05)	46,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05) 54,50 * Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41) 55,80 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 18 X 10" 457.20(x23.80) X 273.05(x15.06)	51,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41)	Exc.Reducer, Astm A234 Grade WPB, S80 18 X 12" 457.20(x23.80) X 323.85(x17.45)	53,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45) 79,90 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 18 X 14" 457.20(x23.80) X 355.60(x19.05)	54,50	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 355.60(x19.05) 81,30 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 18 X 16" 457.20(x23.80) X 406.40(x21.41)	55,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41) 82,60 * Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 20 X 12" 508.00(x26.19) X 323.85(x17.45)	79,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80) 84,40 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 20 X 14" 508.00(x26.19) X 355.60(x19.05)	81,30	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 355.60(x19.05) 88,50 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 20 X 16" 508.00(x26.19) X 406.40(x21.41)	82,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41) 89,90 * Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 20 X 18" 508.00(x26.19) X 457.20(x23.80)	84,40	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41) 91,70 *	Exc.Reducer, Astm A234 Grade WPB, S80 22 X 14" 558.80(x28.57) X 355.60(x19.05)	88,50	*
EXC. (Coddoo), Addit A204 Orado WI B, 000 22 X 10 000.00(X20.07) X 400.40(X21.41)	Exc.Reducer, Astm A234 Grade WPB, S80 22 X 16" 558.80(x28.57) X 406.40(x21.41)	89,90	*
Exc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19) 94,00 *	Exc.Reducer, Astm A234 Grade WPB, S80 22 X 18" 558.80(x28.57) X 406.40(x21.41)	91,70	*
	Exc.Reducer, Astm A234 Grade WPB, S80 22 X 20" 558.80(x28.57) X 508.00(x26.19)	94,00	*

Artikel	KG per Stuks	Bruto prijs per ST
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 16" 609.60(x30.94) X 406.40(x21.41)	95,80	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 18" 609.60(x30.94) X 457.20(x23.80)	97,60	*
Exc.Reducer, Astm A234 Grade WPB, S80 24 X 20" 609.60(x30.94) X 508.00(x26.19)	99,90	*