

Inhoudsopgave

Conc.Reducer, Astm A234 Grade WPB, S40

Astm Reducers

Conc.Reducer, Astm A234 Grade WPB, S40

Geldig vanaf 26-7-2023

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 X 3/8"	0,09	33,25
Conc.Reducer, Astm A234 Grade WPB, S40 3/4 x 1/2"	0,09	23,02
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/8"	0,14	*
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 1/2"	0,14	38,03
Conc.Reducer, Astm A234 Grade WPB, S40 1 x 3/4"	0,17	30,98
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4 x 1/2"	0,19	54,17
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 3/4"	0,20	29,43
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/4x 1"	0,20	29,43
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1/2"	0,20	42,17
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 3/4	0,22	33,84
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1	0,24	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2"x 1" - Verzinkt	0,24	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 1.1/2x 1.1/4	0,26	31,13
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1/2"	0,41	*
Conc.Reducer, Astm A234 Grade WPB, S40 2x 3/4"	0,33	45,53
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1	0,37	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/4	0,39	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2x 1.1/2	0,41	31,21
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1	0,59	98,38
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/4	0,67	89,44
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 1.1/2	0,68	39,76
Conc.Reducer, Astm A234 Grade WPB, S40 2.1/2x 2	0,73	39,76
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/4	0,77	55,99
Conc.Reducer, Astm A234 Grade WPB, S40 3x 1.1/2	0,86	49,81
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2	0,91	42,39
Conc.Reducer, Astm A234 Grade WPB, S40 3x 2.1/2	0,98	42,39
Conc.Reducer, Astm A234 Grade WPB, S40 4x 1.1/2	1,24	150,17
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2	1,44	76,48
Conc.Reducer, Astm A234 Grade WPB, S40 4x 2.1/2	1,52	63,23
Conc.Reducer, Astm A234 Grade WPB, S40 4x 3	1,59	60,23
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2	2,29	194,13
Conc.Reducer, Astm A234 Grade WPB, S40 5x 2.1/2	2,51	164,48
Conc.Reducer, Astm A234 Grade WPB, S40 5x 3	2,60	84,30
Conc.Reducer, Astm A234 Grade WPB, S40 5x 4	2,72	84,30
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2"	0,01	218,59

Artikel	KG per Stuks	Bruto prijs per ST
Conc.Reducer, Astm A234 Grade WPB, S40 6x 2.1/2	3,45	240,50
Conc.Reducer, Astm A234 Grade WPB, S40 6x 3	3,63	138,22
Conc.Reducer, Astm A234 Grade WPB, S40 6x 4	8,72	109,70
Conc.Reducer, Astm A234 Grade WPB, S40 6x 5	8,98	109,70
Conc.Reducer, Astm A234 Grade WPB, S40 8x 3	0,00	338,84
Conc.Reducer, Astm A234 Grade WPB, S40 8x 4	5,95	224,83
Conc.Reducer, Astm A234 Grade WPB, S40 8x 5	6,08	207,37
Conc.Reducer, Astm A234 Grade WPB, S40 8x 6	6,31	183,57
Conc.Reducer, Astm A234 Grade WPB, S40 10x 4	9,58	590,28
Conc.Reducer, Astm A234 Grade WPB, S40 10x 5	9,90	453,18
Conc.Reducer, Astm A234 Grade WPB, S40 10x 6	10,10	304,15
Conc.Reducer, Astm A234 Grade WPB, S40 10x 8	10,50	298,11
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 5" 323.85(x10.31) X 141.30 (x6.55)	13,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 6" 323.85(x10.31) X 168.28(x7.11)	14,10	*
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 8" 323.85(x10.31) X 219.08(x8.18)	14,60	439,44
Conc.Reducer, Astm A234 Grade WPB, S40 12 X 10" 323.85(x10.31) X 273.05(x9.27)	15,20	569,14
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 6" 355.60(x11.13) X 168.28(x7.11)	25,30	1.312,41
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 8" 355.60(x11.13) X 219.08(x8.18)	26,00	987,32
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 10" 355.60(x11.13) X 273.05(x9.27)	27,40	835,67
Conc.Reducer, Astm A234 Grade WPB, S40 14 X 12" 355.60(x11.13) X 323.85(x10.31)	28,80	791,88
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 8" 406.40(x12.70) X 219.08(x8.18)	31,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 10" 406.40(x12.70) X 273.05(x9.27)	33,10	1.292,26
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 12" 406.40(x12.70) X 323.85(x10.31)	34,30	1.190,17
Conc.Reducer, Astm A234 Grade WPB, S40 16 X 14" 406.40(x12.70) X 355.60(x11.13)	35,20	1.054,67
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 10" 457.20(x14.27) X 273.05(x9.27)	39,40	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 12" 457.20(x14.27) X 323.85(x10.31)	40,50	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 14" 457.20(x14.27) X 355.60(x11.13)	41,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 18 X 16" 457.20(x14.27) X 406.40(x12.70)	42,70	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 12" 508.00(x15.06) X 323.85(x10.31)	60,80	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 14" 508.00(x15.06) X 355.60(x11.13)	61,30	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 16" 508.00(x15.06) X 406.40(x12.70)	62,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 20 X 18" 508.00(x15.06) X 457.20(x14.27)	69,90	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 16" 609.60(x17.45) X 406.40(x12.70)	72,60	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 18" 609.60(x17.45) X 457.20(x14.27)	74,00	*
Conc.Reducer, Astm A234 Grade WPB, S40 24 X 20" 609.60(x17.45) X 508.00(x15.06)	75,80	*