

Inhoudsopgave

Verloopstukken	2
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH	2
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH	6

Verloopstukken

Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH

Geldig vanaf 30-5-2023

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. St. Conc. Lasverloop EN10253-2 P235GH 26.9(x2.3) X 21.3(x2.0)	0,05	17,27
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 33.7(x2.6) X 21.3(x2.0)	0,09	20,70
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 33.7(x2.6) X 26.9(x2.3)	0,09	14,20
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 42.4(x2.6) X 21.3(x2.0)	0,11	32,19
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 42.4(x2.6) X 26.9(x2.3)	0,11	17,27
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 42.4(x2.6) X 30.0(x2.6)	0,11	27,76
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 42.4(x2.6) X 33.7(x2.6)	0,11	15,96
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 48.3(x2.6) X 21.3(x2.0)	0,17	53,15
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 48.3(x2.6) X 26.9(x2.3)	0,17	25,83
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 48.3(x2.6) X 33.7(x2.6)	0,17	19,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 48.3(x2.6) X 42.4(x2.6)	0,17	19,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 57(x2.9) X 33.7(x2.6)	0,26	25,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 57.0(x2.9) X 42.4(x2.6)	0,28	20,42
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 57.0(x2.9) X 44.5(x2.6)	0,26	20,42
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 57.0(x2.9) X 48.3(x2.6)	0,26	15,71
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 21.3(x2.0)	0,26	67,38
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 26.9(x2.3)	0,28	45,64
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 33.7(x2.6)	0,28	30,14
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 38.0(x2.6)	0,28	41,19
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 42.4(x2.6)	0,28	22,15
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 60.3(x2.9) X 48.3(x2.6)	0,28	20,70
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 70(x2.9) X 57.0(x2.9)	0,39	32,46
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 76.1(x2.9) X 33.7(x2.6)	0,42	45,64
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 76.1(x2.9) X 42.4(x2.6)	0,42	37,50
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 76.1(x2.9) X 48.3(x2.6)	0,42	28,53
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 76.1(x2.9) X 57.0(x2.9)	0,42	28,34
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 76.1(x2.9) X 60.3(x2.9)	0,42	24,97
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 33.7(x2.6)	0,55	83,61
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 42.4(x2.6)	0,55	50,95
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 44.5(x2.6)	0,55	60,57
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 48.3(x2.6)	0,55	38,53
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 57.0(x2.9)	0,55	36,78
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 60.3(x2.9)	0,55	31,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 70,0(x2.9)	0,55	39,11

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 88.9(x3.2) X 76.1(x2.9)	0,55	31,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 101.6(x3.6) X 48.3(x2.6)	0,85	91,48
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 101.6(x3.6) X 60.3(x2.9)	0,85	112,79
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 101.6(x3.6) X 76.1(x2.9)	0,85	99,97
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 101.6(x3.6) X 88.9(x3.2)	0,85	40,68
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 108.0(x3.6) X 48.3(x2.6)	0,85	87,27
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 108.0(x3.6) X 57.0(x2.9)	0,85	67,64
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 108.0(x3.6) X 60.3(x2.9)	0,85	60,67
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 108.0(x3.6) X 76.1(x2.9)	0,85	50,49
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 108.0(x3.6) X 88.9(x3.2)	0,85	52,01
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 42.4(x2.6)	0,98	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 48.3(x2.6)	0,98	84,76
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 57.0(x2.9)	0,98	72,62
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 60.3(x2.9)	0,98	47,98
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 76.1(x2.9)	0,98	46,53
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 88.9(x3.2)	0,98	43,72
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 114.3(x3.6) X 101.6(x3.6)	0,98	93,81
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 57.0(x2.9)	1,61	131,97
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 60.3(x2.9)	1,61	145,31
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 76.1(x2.9)	1,61	96,88
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 88.9(x3.2)	1,61	81,20
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 108(x3.6)	1,61	82,13
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 133(x4.0) X 114.3(x3.6)	1,61	106,05
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 60.3(x2.9)	1,70	156,53
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 76.1(x2.90)	1,70	113,41
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 88.9(x3.2)	1,70	91,85
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 101.6(x3.6)	1,70	210,89
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 108(x3.6)	1,70	98,95
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 139.7(x4.0) X 114.3(x3.6)	1,70	70,43
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 57(x2.9)	2,55	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159x(4.5) X 60.3(x2.9)	2,55	236,73
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 76.1(x2.9)	2,39	157,72
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 88.9(x3.2)	2,39	139,39
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 108(x3.6)	2,39	119,61
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 114.3(x3.6)	2,39	120,20
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 133(x4.0)	2,39	109,71
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 159(x4.5) X 139.7(x4.0)	2,39	152,55
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 60.3(x2.9)	2,55	309,10

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 76.1(x2.9)	2,55	215,33
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 88.9(x3.2)	2,55	168,36
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 101.6(x3.6)	2,55	150,13
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 108(x3.6)	2,55	168,36
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 114.3(x3.6)	2,55	111,65
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 133(x4.0)	3,95	150,62
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 168.3(x4.5) X 139.7(x4.0)	2,55	105,77
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 193.7(x5.6) X 114.3(x3.6)	3,95	413,78
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 193.7(x5.6) X 133(x4.0)	3,95	395,06
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 193.7(x5.6) X 139.7(x4.0)	3,95	344,53
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 193.7(x5.6) X 159(x4.5)	3,95	309,70
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 193.7(x5.6) X 168.3(x4.5)	3,95	291,24
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 88.9(x3.2)	5,03	476,56
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 108(x3.6)	5,03	364,91
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 114.3(x3.6)	5,03	282,81
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 133(x4.0)	5,03	269,09
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 139.7(x4.0)	5,03	222,56
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 159(x4.5)	5,03	216,64
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 168.3(x4.5)	5,03	183,30
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 193.7(x5.6)	5,03	361,36
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 267(x6.3) X 108(x3.6)	7,36	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 267(x6.3) X 159(x4.5)	7,36	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 267(x6.3) X 219.1(x6.3)	7,36	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 114.3(x3.6)	7,36	488,27
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 133(x4.0)	7,36	416,35
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 139.7(x4.0)	7,36	378,80
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 159(x4.5)	7,36	434,93
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 168.3(x4.5)	7,36	308,29
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 193.7(x5.6)	7,36	565,60
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 219.1(x6.3)	7,36	268,84
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 139.7(x4)	0,10	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 159(x4.5)	11,30	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 168.3(x4.5)	11,30	623,22
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 193.7(x5.6)	11,30	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 219.1(x6.3)	11,30	555,13
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 273(x6.3)	11,30	478,32
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 355.6(x8.0) X 168.3(x4.5)	22,50	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 355.6(x8.0) X 219.1(x6.3)	22,50	1.589,12

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 355,6(x8,0) X 273(x6,3)	22,50	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 355,6(x8,0) X 323,9(x7,1)	22,50	1.253,07
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 406,4(x8,8) X 219,1(x6,3)	30,50	3.393,64
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 406,4(x8,8) X 273(x6,3)	30,60	2.762,23
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 406,4(x8,8) X 323,9(x7,1)	30,60	2.266,62
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 406,4(x8,8) X 355,6(x8,0)	30,60	2.318,99
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 508(x11,0) X 323,9(x7,1)	68,50	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 508(x11,0) X 355,6(x8)	68,50	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 508(x11,0) X 406,4(x8,8)	68,50	3.472,63
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 610(x12,5) X 323,9(x7,1)	79,00	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 610(x12,5) X 457(x10)	79,00	*
Ndl. st. concentrisch. lasverloop EN10253-2 - P235GH 610(x12,5) X 508(x11)	79,00	*

Verloopstukken

Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH

Geldig vanaf 30-5-2023

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 26,9(x2,3) X 21,3(x2,0)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 33,7(x2,6) X 21,3(x2,0)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 33,7(x2,6) X 26,9(x2,3)	0,09	37,50
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 42,4(x2,6) X 21,3(x2,0)	0,00	78,73
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 42,4(x2,6) X 26,9(x2,3)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 42,4(x2,6) X 33,7(x2,6)	0,11	39,30
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 48,3(x2,6) X 21,3(x2,0)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 48,3(x2,6) X 26,9(x2,3)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 48,3(x2,6) X 33,7(x2,6)	0,17	42,86
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 48,3(x2,6) X 42,4(x2,6)	0,17	39,30
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 60,3(x2,9) X 26,9(x2,3)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 60,3(x2,9) X 33,7(x2,6)	0,28	74,16
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 60,3(x2,9) X 48,3(x2,6)	0,28	47,28
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 76,1(x2,9) X 33,7(x2,6)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 76,1(x2,9) X 42,4(x2,6)	0,42	174,40
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 76,1(x2,9) X 48,3(x2,6)	0,42	84,76
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 76,1(x2,9) X 60,3(x2,9)	0,42	61,44
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 88,9(x3,2) X 42,4(x2,6)	0,10	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 88,9(x3,2) X 48,3(x2,6)	0,55	98,95
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 88,9(x3,2) X 60,3(x2,9)	0,55	70,43
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 88,9(x3,2) X 76,1(x2,9)	0,55	61,44
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 114,3(x3,6) X 48,3(x2,6)	0,98	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 114,3(x3,6) X 60,3(x2,9)	0,98	150,62
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 114,3(x3,6) X 76,1(x2,9)	0,98	140,62
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 114,3(x3,6) X 88,9(x3,2)	0,98	110,47
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 139,7(x4,0) X 60,3(x2,9)	1,70	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 139,7(x4,0) X 76,1(x2,9)	1,70	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 139,7(x4,0) X 88,9(x3,2)	1,70	185,05
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 139,7(x4,0) X 114,3(x3,6)	1,70	151,20
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 168,3(x4,5) X 76,1(x2,9)	2,55	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 168,3(x4,5) X 88,9(x3,2)	2,55	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 168,3(x4,5) X 114,3(x3,6)	2,55	233,04
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 168,3(x4,5) X 139,7(x4,0)	2,55	189,03
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 219,1(x6,3) X 88,9(x3,2)	5,03	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 219,1(x6,3) X 114,3(x3,6)	5,03	935,26

Artikel	KG per Stuks	Bruto prijs per ST
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 139.7(x4.0)	5,03	445,15
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 219.1(x6.3) X 168.3(x4.5)	5,03	288,04
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 139.7(x4.0)	7,50	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 168.3(x4.5)	7,50	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 273(x6.3) X 219.1(x6.3)	7,50	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 168.3(x4.5)	11,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 219.1(x6.3)	11,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 323.9(x7.1) X 273(x6.3)	11,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 355.6(x8.0) X 219.1(x6.3)	22,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 355.6(x8.0) X 273(x6.3)	22,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 355.6(x8.0) X 323.9(x7.1)	22,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 406.4(x8.8) X 219.1(x6.3)	30,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 406.4(x8.8) X 273(x6.3)	30,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 406.4(x8.8) X 323.9(x7.1)	30,00	*
Ndl. st. excentrisch. lasverloop EN10253-2 - P235GH 406.4(x8.8) X 355.6(x8.0)	30,00	*